

Ver.1 | Issued 05/20

ST FUTURA 12

PERG

Tel:01869 343 511 Email: info@kelberg.com

DAF LF230 4x2 Multilift Futura 12 Skip Loader

DAF

Chassis Specification

Ver.1 | Issued 04/20

DAF LF230 4x2 Multilift Futura 12 Skip Loader

Make / Model:

DAF LF230 FA 4x2 19 Ton Construction Rigid Chassis N3G

Drive Line:

Drive line is fitted with 6.7 litre, 6 cylinder diesel PX-7 Euro 6 engine:

- Outputs: 172 kW (234 HP) at 2300 rpm
- Maximum Torque: 900 Nm at 1000 1700 rpm

Also features manual override 6 speed 6S1000 gearbox, mechanical crossaxle and inter-axle differential lock and ASR (anti-slip control).

Cab Exterior:

Cab external features the following:

- Green translucent external sun visor.
- Galvanised steel bumper.
- Tinted glass.
- Electric operated side windows.
- 4 point mechanical cab suspension and integrated shock absorbers.
- Central door locking system with exterior light checker functions.
- Electrical adjustment of main mirror and wide angle mirror.
- Daytime running lights with four LEDs at each side.
- Single glassed window in cab rear wall.

Colour:

Cab is finished in H3279 White. Lower cab step, cab steps, wings and bumper are finished in stone grey. Chassis is also finished in grey.



Photos:











Page: 2

Whilst every effort has been made to ensure the accuracy of the information in this spec sheet, some errors may occur. It is important that you do not solely rely upon this information, but that you check with your dealer any items you feel will affect your decision to purchase this vehicle. No liability for loss or damage resulting from errors or misleading information will be accepted by Kel-Berg Trailers, & Tracks Ltd. This specification is for guidance only and does not constitute an offer of sale or guarantee of the specification of this vehicle. All specifications are subject to change without notice and/or verification. E&OE.

Chassis Specification

Ver.1 | Issued 04/20

DAF LF230 4x2 Multilift Futura 12 Skip Loader

Cab Interior:

Cab interior is finished with black rock and a dark sand trim. Driver seat is air suspended with high back and comfort air. Upholstery is flash copper with black seat belts. Air-Con can be manually controlled with air recirculation.

Cab also features a radio / USB player, truck phone, hands free telephone kit with SIM card slot, Bluetooth antenna and two USB charging points. There is also a 5" TFT display in the instrument panel and driver performance assistant (DPA). Stoneridge or VDO digital tachograph.

Chassis:

Chassis is 270 mm x 8 mm steel with a single low horizontal DPF & SCR exhaust system unit with vertical discharge behind cab. 200 L plastic fuel tank located N/S and 45 litre AdBlue tank on second front axle in driver' s side. Wheel base is 3750 mm with 1120 mm overhang. Mudguards have spray suppression.

Brake Systems:

Features ventilated disc brakes on the front and rear axles and dual circuit air system with electronic control (EBS). Twin air compressor with heated dryer, exhaust brake and park brake control, spring brake cylinder on front and rear axle also.

Axle & Suspension:

Front Axle Type: 152N vertical offset at 100 mm. Parabolic leaf suspension with shock absorbers and stabiliser – Max Load: 7.5 ton

Single Reduction Rear Axle Type: SR1132 with asymmetric parabolic leaf suspension and shock absorbers – Max Load: 11.5 ton

Photos:













Page: 3

Whilst every effort has been made to ensure the accuracy of the information in this spec sheet, some errors may occur. It is important that you do not solely rely upon this information, but that you check with your dealer any items you feel will affect your decision to purchase this vehicle. No liability for loss or damage resulting from errors or misleading information will be accepted by Kel-Berg Trailers & Trucks Ltd. This specification is for guidance only and does not constitute an offer of sale or guarantee of the specification of this vehicle. All specifications are subject to change without notice and/or verification. E&OE.

Chassis Specification

Ver.1 | Issued 04/20

DAF LF230 4x2 Multilift Futura 12 Skip Loader

Wheels & Tyres:

Steel disc wheel rims finished in silver grey with wheel protection rings and centre section also silver grey.

Front & Rear Axles:

- Tyre Size:
- Wheel Rim Size:
- 225 mm x 90 mm

315/80R22.5

- Rear Axles:
- Tyres are premium make.
- On / Off road tread pattern fitted.

Electrical Power Supply:

Alternator 80 A, 2 x 175 Ah batteries Rear light units LED

GVC & GCM:

Chassis weigh related technical GVM max. 19000 kg

Warranty:

1 year chassis cab with 2nd & 3rd year Driveline. This takes care of all warrantable repairs on the vehicle for the first two years and on the driveline for this year together with associated with breakdown coverage.

Service & Maintenance:

Two options are available at additional monthly cost: Option 1) Compliance package. Option 2) Full R&M Package, please ask for a full details or a monthly cost.

Photos:













Page: 4

Whilst every effort has been made to ensure the accuracy of the information in this spec sheet, some errors may occur. It is important that you do not solely rely upon this information, but that you check with your dealer any items you feel will affect your decision to purchase this vehicle. No liability for loss or damage resulting from errors or misleading information will be accepted by Kel-Berg Trailers & Trucks Ltd. This specification is for guidance only and does not constitute an offer of sale or guarantee of the specification of this vehicle. All specifications are subject to change without notice and/or verification. E&OE.

Body Specification

Ver.1 | Issued 04/20

DAF LF230 4x2 Multilift **Futura 12 Skip Loader**

Body Description:

The HIAB MULTILIFT FUTURA 12 skip loader body is fitted with two 1400 mm telescopic arms with an approximate loading capacity of 12 ton. Two heavy duty wear plates and hydraulically adjusted skip stops enables the Multilift to suit a varierty of bin sizes.

The vehicle is fitted with a cab guard, rear steps, grab handles and folding side ladder, making for easy access to the bed. The body is finished in RAL 9005 Black.

Additional Items:

- 4 x 38 link Arbil Chains
- Truck interface unit
- Multilift SkipTop Integrated auto sheeting system.
- Radio Controller

Photos:













Page: 5

Whilst every effort has been made to ensure the accuracy of the information in this spec sheet, some errors may occur. It is important that you do not solely rely upon this information, but that you check with your dealer any items you feel will affect your decision to purchase this vehicle. No liability for loss or damage resulting from errors or misleading information will be accepted by Kel-Berg Trailers & Trucks Ltd. This specification is for guidance only and does not constitute an offer of sale or guarantee of the specification of this vehicle. All specifications are subject to change without notice and/or verification F&OE