

Ver.1 | Issued 11/22

TEL: 01869 343 511 EMAIL: info@kelberg.com



# **CHASSIS SPECIFICATION**

Ver.1 | Issued 10/22

# DAF LF260 FA 4x2 MARVTECH HOTBOX

# Make / Model:

DAF LF260 FA 4x2 19 Ton Construction Rigid Chassis

# **Driveline:**

Drive line is fitted with a 6.7 litre, 6 cylinder diesel Euro PX-7 engine:

- Output: 194kW at 2300 rpm
- Max Torque: 1000 Nm at 1000 to 1700 rpm

Also features a MANUAL override 6 speed 6S1000 gearbox, mechanical differential lock, ASR (anti-slip control), and OBD (on-board diagnostics).

## **Cab External Features:**

Green translucent external sun visor.

Galvanised steel bumper.

Tinted glass.

Electric operated side windows.

4 point mechanical cab suspension and integrated shock absorbers.

Central door locking system with exterior light checker functions.

Electrical adjustment of main mirror and wide angle mirror.

Daytime running lights with four LEDs at each side.

# **Colour:**

Cab is finished in H3279 White. Lower cab step, cab steps, wings and bumper are finished in stone grey. Chassis is also finished in grey.













PAGE: 2

WWW.KELBERG.COM | INFO@KELBERG.COM | 01869 343 511 | 0X25 3TH, BICESTER

Ver.1 | Issued 10/22

# DAF LF260 FA 4x2 MARVTECH HOTBOX

# **Cab Interior:**

Cab interior is finished with black rock and a dark sand trim. Driver seat is air suspended with high back and comfort air. Upholstery is flash copper with black seat belts. Air-Con can be manually controlled with air recirculation.

Cab also features a radio / USB player, truck phone, hands free telephone kit with SIM card slot, Bluetooth antenna and two USB charging points. There is also a 5" TFT display in the instrument panel and driver performance assistant (DPA). Stoneridge or VDO digital tachograph.

# **Chassis:**

Chassis is 270 mm x 8 mm steel with a single low horizontal DPF & SCR exhaust system unit with vertical discharge behind cab. 200 L steel fuel tank located N/S and 45 litre AdBlue tank on second front axle in driver's side. Wheel base is 3260 mm with 1.00 mm overhang. Mudguards have spray suppression.

# **Braking System:**

Features ventilated disc brakes on the front and rear axles and dual circuit air system with electronic control (EBS). Twin air compressor with heated dryer, exhaust brake and park brake control, spring brake cylinder on front and rear axle also.













# **CHASSIS SPECIFICATION**

# Ver.1 | Issued 10/22

# DAF LF260 FA 4x2 MARVTECH HOTBOX

# **Axles & Suspension:**

Features ventilated disc brakes on the front and rear axles and dual circuit air system with electronic control (EBS). Twin air compressor with heated dryer, exhaust brake and park brake control, spring brake cylinder on front and rear axle also.

# Wheels & Tyres:

Steel disc wheel rims finished in silver grey with wheel protection rings and centre section also silver grey.

### Front & Rear Axles:

• Tyre Size: 315/70R22.5

• Wheel Rim Size: 225x 90 mm

#### Rear Axles:

- Tyres are premium make.
- On / Off road tread pattern fitted.

# **Electrical Power Supply:**

Alternator 80 A (2 x 175 Ah batteries) Rear light units LED

# **GVC & GCM:**

Chassis weigh related technical GVM max. 16000 kg





# **Warranty:**

Standard warranty covers 1st year complete vehicle with 2nd & 3rd Driveline. Breakdown cover for 1st year also.

# **Service & Maintenance:**

Two options are available at additional monthly cost:

Option 1) Compliance package

Option 2) Full R&M Package, please ask for a full details or a monthly cost.

Please ask for full details and monthly costs.

Ver.1 | Issued 10/22

DAF LF260 FA 4x2 MARVTECH HOTBOX

# **Hopper:**

This is a 9 m<sup>3</sup> hotbox body that features two chambers split 40 / 60. The lids are air operated and the tailgate is equipped with three chutes. The body is tipped with the Harsh E55 under-floor tipping gear.

The installation features an electronic pre-mix smart burner. This system ensures that the temperature within the body is maintained at the optimum temperature, giving a 40% saving in gas use when compared to a conventional burner system.

#### Additional External Items:

- Front gantry/catwalk with bottle storage system and pull out access steps.
- Cab steps and handles to be painted yellow.
- 5 tonne removable tow ball with pin plus 7 pin electrics.
- Four beacons Two front and two rear.
- Full conspic markings white on side and red to rear.
- To include full paint on body, gantry and sub-frame.
- · Rubber blocks fitted to sub-frame.
- Rear under-run bar and side under-run protection.
- Body prop.
- · Rear work lights.

# Additional Cab Internal Items:

- Body raised warning light.
- 5" reverse camera monitor.
- In cab tipping controls.
- · Hotbox lid controls.